

Toluene

HPLC

For use in Liquid Chromatography (HPLC & UHPLC) &  
Spectrophotometry



Material No.: 9351-33

Batch No.: 0000050175

Manufactured Date: 2013/07/15

Retest Date: 2018/07/14

## Certificate of Analysis

Test	Specification	Result
Assay (by GC, corrected for water)	$\geq 99.7 \%$	100.0
Ultraviolet Absorbance (1.00-cm cell vs. water) - 350 nm	$\leq 0.01$	$< 0.01$
Ultraviolet Absorbance (1.00-cm cell vs. water) - 300 nm	$\leq 0.10$	0.07
Ultraviolet Absorbance (1.00-cm cell vs. water) - 288 nm	$\leq 0.40$	0.28
Ultraviolet Absorbance (1.00-cm cell vs. water) - UV Cut-off, nm	$\leq 285$	284
Residue after Evaporation	$\leq 3.0$ ppm	0.7
Substances Darkened by H <sub>2</sub> SO <sub>4</sub>	Passes Test	PT
Water (by KF, coulometric)	$\leq 0.02 \%$	0.01

For Laboratory, Research or Manufacturing Use

Country of Origin: US



Phillipsburg, NJ 9001:2008, 14001:2004  
Paris, KY 9001:2008  
Mexico City, Mexico 9001:2008  
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003  
Gliwice, Poland 9001:2008, 17025:2005  
Selangor, Malaysia 9001:2008  
Dehradun, India, 9001:2008, 14001:2004, 13485:2003  
Mumbai, India, 9001:2008, 17025:2005  
Panoli, India 9001:2008

Richard M Siberski  
Global Director of Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600  
Avantor™ Performance Materials Inc.

3477 Corporate Parkway, Suite #200, Center Valley, PA 18034, U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610