

Tetrahydrofuran

HPLC

For use in Liquid Chromatography (HPLC & UHPLC) &

Spectrophotometry

Contains No Preservative



Material No.: 9441-03

Batch No.: 0000057194

Manufactured Date: 2013/09/13

Expiration Date: 2014/09/12

Certificate of Analysis

Test	Specification	Result
Ultraviolet Absorbance (1.00-cm cell vs. water) - 400-320 nm	≤ 0.01	< 0.01
Ultraviolet Absorbance (1.00-cm cell vs. water) - 280 nm	≤ 0.030	0.007
Ultraviolet Absorbance (1.00-cm cell vs. water) - 254 nm	≤ 0.15	0.12
Ultraviolet Absorbance (1.00-cm cell vs. water) - 230 nm	≤ 0.45	0.31
Ultraviolet Absorbance (1.00-cm cell vs. water) - UV Cut-off, nm	≤ 212	210
Assay (by GC, corrected for water)	$\geq 99.8 \%$	100.0
Peroxide (as H_2O_2)	$\leq 0.005 \%$	0.003
Residue after Evaporation	≤ 2.0 ppm	0.8
Water (by KF, coulometric)	$\leq 0.02 \%$	< 0.02

For Laboratory, Research or Manufacturing Use

Country of Origin: US



Phillipsburg, NJ 9001:2008, 14001:2004
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008, 17025:2005
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008, 17025:2005
Panoli, India 9001:2008

Richard M Siberski
Global Director of Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600

Avantor TM Performance Materials Inc.

3477 Corporate Parkway, Suite #200, Center Valley, PA 18034, U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610