



Material No.: 9346-05 Batch No.: 0000067866 Manufactured Date: 2014/01/13

Retest Date: 2019/01/12

Certificate of Analysis

Test	Specification	Result
Assay (HOCH2CH2OH) (by GC)	>= 99.0 %	99.9
Color (APHA)	<= 10	5
Acidity (µeq/g)	<= 0.8	0.3
Acidity (as CH ₃ COOH)(by wt)	<= 0.01 %	0.01
Residue after Ignition	<= 0.005 %	< 0.001
Water (H2O)(by Karl Fischer titrn)	<= 0.2 %	< 0.1
Chloride (CI)	<= 1 ppm	< 1
Phosphate (PO ₄)	<= 2 ppm	< 1
Sulfate (SO ₄)	<= 2 ppm	2
Arsenic and Antimony (as As)	<= 0.100 ppm	< 0.100
Trace Impurities - Iron (Fe)	<= 0.2 ppm	< 0.1
Trace Impurities - Aluminum (AI)	<= 100.0 ppb	< 5.0
Trace Impurities - Barium (Ba)	<= 100.0 ppb	< 1.0
Trace Impurities - Boron (B)	<= 50.0 ppb	< 5.0
Trace Impurities - Calcium (Ca)	<= 300.0 ppb	22.0
Trace Impurities - Chromium (Cr)	<= 50.0 ppb	< 1.0
Trace Impurities - Copper (Cu)	<= 10.0 ppb	< 1.0
Trace Impurities – Gold (Au)	<= 50.0 ppb	< 5.0
Trace Impurities – Lead (Pb)	<= 200.0 ppb	< 10.0
Trace Impurities – Lithium (Li)	<= 100.0 ppb	< 1.0
Trace Impurities – Magnesium (Mg)	<= 100.0 ppb	2.2
Trace Impurities – Manganese (Mn)	<= 100.0 ppb	< 1.0
Trace Impurities - Nickel (Ni)	<= 100.0 ppb	< 5.0
Trace Impurities - Potassium (K)	<= 300.0 ppb	< 10.0

Material No.: 9346-05 Batch No.: 0000067866

Test	Specification	Result
Trace Impurities – Sodium (Na)	<= 300.0 ppb	31.0
Trace Impurities – Tin (Sn)	<= 100.0 ppb	< 10.0
Trace Impurities – Titanium (Ti)	<= 100.0 ppb	< 1.0
Trace Impurities – Zinc (Zn)	<= 400.0 ppb	218.1
Particle Count - 0.5 µm and greater	<= 200 par/ml	4
Particle Count – 1.0 µm and greater	<= 10 par/ml	1

For Microelectronic Use

Country of Origin: US

Packaging Site: Paris Mfg Ctr & DC

Phillipsburg, NJ 9001:2008, 14001:2004
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008, 17025:2005
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008, 17025:2005

Panoli, India 9001:2008

Richard M Siberski
Vice President Global Quality