

Acetic Acid, Glacial
HPLC
For Use in High Performance Liquid Chromatography



Material No.: 9515-03
Batch No.: 0000136356
Manufactured Date: 2016/02/01
Retest Date: 2021/01/30

Certificate of Analysis

Test	Specification	Result
Assay (by GC, corrected for water)	$\geq 99.7 \%$	100.0
Ultraviolet Absorbance (1.00-cm cell vs. water) – 280 nm	≤ 0.05	< 0.01
Ultraviolet Absorbance (1.00-cm cell vs. water) – 350 nm	≤ 0.01	< 0.01
Residue after Evaporation	$\leq 0.0005 \%$	< 0.0005
Water (by Karl Fischer titrn)	$\leq 0.1 \%$	< 0.1

For Laboratory, Research or Manufacturing Use

(1) Snyder, L.R., J. Chromatography, 92,223-230 (1974)

Storage Conditions: IMPORTANT: Material will freeze if stored below 17 °C (63°F).

Country of Origin: US

Packaging Site: Paris Mfg Ctr & DC



Phillipsburg, NJ 9001:2008, 14001:2004, FSSC 22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008, 17025:2005
Panoli, India 9001:2008


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600
Avantor™ Performance Materials Inc.

3477 Corporate Parkway, Suite #200, Center Valley, PA 18034, U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610