Hydrogen Peroxide, 30% CMOS (Stabilized)





Material No.: 2190-23 Batch No.: 0000209423 Manufactured Date: 2018/09/07 Expiration Date: 2020/03/07 Revision No: 1

Certificate of Analysis

Test	Specification	Result
ssay (H2O2)	30.0 - 32.0 %	31.6
olor (APHA)	<= 10	5
ree Acid (µeq/g)	<= 0.2	< 0.2
esidue after Evaporation	<= 10 ppm	2
mmonium (NH4)	<= 3 ppm	< 3
hloride (Cl)	<= 0.2 ppm	< 0.2
itrate (NO₃)	<= 2 ppm	< 2
hosphate (PO4)	<= l ppm	< 1
ulfate (SO4)	<= 3 ppm	< 3
race Impurities – Aluminum (Al)	<= 70.0 ppb	6.0
rsenic and Antimony (as As)	<= 10 ppb	< 10
ace Impurities – Barium (Ba)	<= 20.0 ppb	< 1.0
ace Impurities – Beryllium (Be)	<= 10.0 ppb	< 1.0
race Impurities – Bismuth (Bi)	<= 20.0 ppb	< 10.0
race Impurities – Boron (B)	<= 10.0 ppb	< 5.0
race Impurities – Cadmium (Cd)	<= 10.0 ppb	< 1.0
race Impurities – Calcium (Ca)	<= 50.0 ppb	< 1.0
race Impurities – Chromium (Cr)	<= 20.0 ppb	2.2
race Impurities – Cobalt (Co)	<= 10.0 ppb	< 1.0
race Impurities – Copper (Cu)	<= 10.0 ppb	< 1.0
ace Impurities – Gallium (Ga)	<= 20.0 ppb	< 1.0
ace Impurities – Germanium (Ge)	<= 10.0 ppb	< 10.0
ace Impurities – Gold (Au)	<= 10.0 ppb	< 5.0
eavy Metals (as Pb)	<= 500 ppb	< 250

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700 Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Test	Specification	Result
Frace Impurities – Iron (Fe)	<= 50.0 ppb	4.2
Frace Impurities – Lead (Pb)	<= 10.0 ppb	< 10.0
Frace Impurities – Lithium (Li)	<= 10.0 ppb	< 1.0
Frace Impurities – Magnesium (Mg)	<= 10.0 ppb	< 1.0
Frace Impurities – Manganese (Mn)	<= 10.0 ppb	< 1.0
Frace Impurities – Molybdenum (Mo)	<= 10.0 ppb	< 5.0
Frace Impurities – Nickel (Ni)	<= 10.0 ppb	< 5.0
Frace Impurities – Niobium (Nb)	<= 10.0 ppb	< 1.0
Frace Impurities – Potassium (K)	<= 600.0 ppb	199.1
Frace Impurities – Silicon (Si)	<= 100.0 ppb	< 10.0
Frace Impurities – Silver (Ag)	<= 10.0 ppb	< 1.0
Frace Impurities – Sodium (Na)	<= 100.0 ppb	< 5.0
Frace Impurities – Strontium (Sr)	<= 10.0 ppb	< 1.0
Frace Impurities – Tantalum (Ta)	<= 10.0 ppb	< 5.0
Frace Impurities – Thallium (TI)	<= 50.0 ppb	< 5.0
Frace Impurities – Tin (Sn)	190.0 – 500.0 ppb	299.5
Frace Impurities – Titanium (Ti)	<= 10.0 ppb	< 1.0
Frace Impurities – Vanadium (V)	<= 10.0 ppb	< 1.0
Frace Impurities – Zinc (Zn)	<= 50.0 ppb	< 1.0
Frace Impurities – Zirconium (Zr)	<= 10.0 ppb	< 1.0
Particle Count – 0.5 µm and greater	<= 100 par/ml	23
Particle Count - 1.0 µm and greater	<= 10 par/ml	< 1

For Microelectronic Use

Country of Origin: US Packaging Site: Paris Mfg Ctr & DC



Phillipsburg, NJ 9001:2015, FSSC22000 Paris, KY 9001:2008 Mexico City, Mexico 9001:2008 Gliwice, Poland 9001:2015, 13485:2012 Selangor, Malaysia 9001:2008 Dehradun, India, 9001:2008, 14001:2004, 13485:2003 Mumbai, India, 9001:2015, 17025:2005 Panoli, India 9001:2015

James Techie

Jamie Ethier Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700 Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700