

Hydrogen Peroxide, 30%
CMOS
(Stabilized)



Material No.: 2190-23
Batch No.: 0000225100
Manufactured Date: 2019/03/08
Expiration Date: 2020/09/05
Revision No: 1

Certificate of Analysis

Test	Specification	Result
Assay (H ₂ O ₂)	30.0 - 32.0 %	31.6
Color (APHA)	<= 10	5
Free Acid (µeq/g)	<= 0.2	< 0.2
Residue after Evaporation	<= 10 ppm	2
Ammonium (NH ₄)	<= 3 ppm	< 3
Chloride (Cl)	<= 0.2 ppm	< 0.2
Nitrate (NO ₃)	<= 2 ppm	< 2
Phosphate (PO ₄)	<= 1 ppm	< 1
Sulfate (SO ₄)	<= 3 ppm	< 3
Trace Impurities - Aluminum (Al)	<= 70.0 ppb	< 5.0
Arsenic and Antimony (as As)	<= 10 ppb	< 10
Trace Impurities - Barium (Ba)	<= 20.0 ppb	< 1.0
Trace Impurities - Beryllium (Be)	<= 10.0 ppb	< 1.0
Trace Impurities - Bismuth (Bi)	<= 20.0 ppb	< 10.0
Trace Impurities - Boron (B)	<= 10.0 ppb	< 5.0
Trace Impurities - Cadmium (Cd)	<= 10.0 ppb	< 1.0
Trace Impurities - Calcium (Ca)	<= 50.0 ppb	< 1.0
Trace Impurities - Chromium (Cr)	<= 20.0 ppb	2.9
Trace Impurities - Cobalt (Co)	<= 10.0 ppb	< 1.0
Trace Impurities - Copper (Cu)	<= 10.0 ppb	< 1.0
Trace Impurities - Gallium (Ga)	<= 20.0 ppb	< 1.0
Trace Impurities - Germanium (Ge)	<= 10.0 ppb	< 10.0
Trace Impurities - Gold (Au)	<= 10.0 ppb	< 5.0
Heavy Metals (as Pb)	<= 500 ppb	< 250

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Test	Specification	Result
Trace Impurities – Iron (Fe)	<= 50.0 ppb	4.5
Trace Impurities – Lead (Pb)	<= 10.0 ppb	< 10.0
Trace Impurities – Lithium (Li)	<= 10.0 ppb	< 1.0
Trace Impurities – Magnesium (Mg)	<= 10.0 ppb	< 1.0
Trace Impurities – Manganese (Mn)	<= 10.0 ppb	< 1.0
Trace Impurities – Molybdenum (Mo)	<= 10.0 ppb	< 5.0
Trace Impurities – Nickel (Ni)	<= 10.0 ppb	< 5.0
Trace Impurities – Niobium (Nb)	<= 10.0 ppb	< 1.0
Trace Impurities – Potassium (K)	<= 600.0 ppb	294.1
Trace Impurities – Silicon (Si)	<= 100.0 ppb	< 10.0
Trace Impurities – Silver (Ag)	<= 10.0 ppb	< 1.0
Trace Impurities – Sodium (Na)	<= 100.0 ppb	11.6
Trace Impurities – Strontium (Sr)	<= 10.0 ppb	< 1.0
Trace Impurities – Tantalum (Ta)	<= 10.0 ppb	< 5.0
Trace Impurities – Thallium (Tl)	<= 50.0 ppb	< 5.0
Trace Impurities – Tin (Sn)	190.0 – 500.0 ppb	467.2
Trace Impurities – Titanium (Ti)	<= 10.0 ppb	< 1.0
Trace Impurities – Vanadium (V)	<= 10.0 ppb	< 1.0
Trace Impurities – Zinc (Zn)	<= 50.0 ppb	< 1.0
Trace Impurities – Zirconium (Zr)	<= 10.0 ppb	< 1.0
Particle Count – 0.5 µm and greater	<= 100 par/ml	15
Particle Count – 1.0 µm and greater	<= 10 par/ml	2

For Microelectronic Use

Country of Origin: US
 Packaging Site: Paris Mfg Ctr & DC



Jamie Ethier
 Vice President Global Quality