



Material No.: 5356-05 Batch No.: 0000075220 Manufactured Date: 2014/04/02

Retest Date: 2019/04/01

Certificate of Analysis

Test	Specification	Result
Assay ((CH3)2CO) (by GC, corrected for water)	>= 99.5 %	99.7
Color (APHA)	<= 10	5
Residue after Evaporation	<= 5 ppm	3
Acidity (µeq/g)	<= 0.3	0.3
Alkalinity (µeq/g)	<= 0.5	< 0.1
Water (H ₂ O)	<= 0.5 %	0.1
Solubility in H₂O	Passes Test	PT
Chloride (Cl)	<= 0.2 ppm	0.1
Phosphate (PO ₄)	<= 0.05 ppm	< 0.05
Trace Impurities – Aluminum (Al)	<= 50.0 ppb	< 5.0
Arsenic and Antimony (as As)	<= 5 ppb	< 5
Trace Impurities – Barium (Ba)	<= 20.0 ppb	< 1.0
Trace Impurities – Boron (B)	<= 20.0 ppb	< 5.0
Trace Impurities - Calcium (Ca)	<= 25.0 ppb	1.3
Trace Impurities - Chromium (Cr)	<= 20.0 ppb	< 1.0
Trace Impurities - Copper (Cu)	<= 10.0 ppb	< 1.0
Trace Impurities - Gold (Au)	<= 20.0 ppb	< 5.0
Trace Impurities – Iron (Fe)	<= 20.0 ppb	< 1.0
Trace Impurities – Lead (Pb)	<= 20.0 ppb	< 10.0
Trace Impurities – Lithium (Li)	<= 50.0 ppb	< 1.0
Trace Impurities – Magnesium (Mg)	<= 20.0 ppb	< 1.0
Trace Impurities – Manganese (Mn)	<= 10.0 ppb	< 1.0
Trace Impurities – Nickel (Ni)	<= 10.0 ppb	< 5.0
Trace Impurities – Potassium (K)	<= 50.0 ppb	< 10.0

Material No.: 5356-05 Batch No.: 0000075220

Specification	Result
<= 50.0 ppb	< 5.0
<= 50.0 ppb	< 10.0
<= 20.0 ppb	< 1.0
<= 50.0 ppb	< 1.0
<= 60 par/ml	3
<= 8 par/ml	1
	<= 50.0 ppb <= 50.0 ppb <= 20.0 ppb <= 50.0 ppb <= 60 par/ml

For Microelectronic Use

Reported value is the average of all samples counted for this lot number, with no individual sample value exceeding the specification.

Country of Origin: US

Packaging Site: Paris Mfg Ctr & DC

Phillipsburg, NJ 9001:2008, 14001:2004
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008, 17025:2005
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008, 17025:2005

Richard M Siberski
Vice President Global Quality