



Material No.: 1030-05 Batch No.: 0000087978 Manufactured Date: 2014/03/01

Retest Date: 2021/02/27

Certificate of Analysis

Test	Specification	Result
Assay (BaSO4)	>= 97.0 %	98.6
Acidity (as H2SO4)	<= 0.01 %	< 0.01
Water-Soluble Salts	<= 0.02 %	< 0.01
Chloride (Cl)	<= 0.005 %	< 0.003
Phosphate (PO4)	<= 0.001 %	< 0.001
Heavy Metals (as Pb)	<= 0.001 %	< 0.001
Trace Impurities – Iron (Fe)	<= 0.001 %	< 0.001
Trace Impurities – Arsenic (As)	<= 1.000 ppm	< 1.000

For Laboratory, Research or Manufacturing Use

Country of Origin:

Packaging Site: Paris Mfg Ctr & DC



Phillipsburg, NJ 9001:2008, 14001:2004 Paris, KY 9001:2008 Mexico City, Mexico 9001:2008 Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003 Gliwice, Poland 9001:2008, 17025:2005 Selangor, Malaysia 9001:2008 Dehradun, India, 9001:2008, 14001:2004, 13485:2003 Mumbai, India, 9001:2008, 17025:2005

Richard M Siberski Vice President Global Quality