

Acetic Acid, Glacial
ULTREX® II Ultrapure Reagent



Material No.: 6903-05
Batch No.: 0000033091
Manufactured Date: 2013/05/01
Expiration Date: 2016/04/30

Certificate of Analysis

Test	Specification	Result
Assay (CH ₃ COOH)	>= 99.0 %	99.7
Trace Impurities - Aluminum (Al)	<= 50 ppt	< 10
Trace Impurities - Antimony (Sb)	<= 50 ppt	< 1
Trace Impurities - Arsenic (As)	<= 50 ppt	< 5
Trace Impurities - Barium (Ba)	<= 10 ppt	< 1
Trace Impurities - Beryllium (Be)	<= 10 ppt	< 1
Trace Impurities - Bismuth (Bi)	<= 10 ppt	< 1
Trace Impurities - Cadmium (Cd)	<= 10 ppt	< 1
Trace Impurities - Calcium (Ca)	<= 50 ppt	< 10
Trace Impurities - Cerium (Ce)	<= 10 ppt	<0.1
Trace Impurities - Cesium (Cs)	<= 10 ppt	<0.1
Trace Impurities - Chromium (Cr)	<= 10 ppt	< 1
Trace Impurities - Cobalt (Co)	<= 10 ppt	< 1
Trace Impurities - Copper (Cu)	<= 50 ppt	< 5
Trace Impurities - Dysprosium (Dy)	<= 1 ppt	< 1
Trace Impurities - Erbium (Er)	<= 1 ppt	< 1
Trace Impurities - Europium (Eu)	<= 1 ppt	< 1
Trace Impurities - Gadolinium (Gd)	<= 1 ppt	< 1
Trace Impurities - Gallium (Ga)	<= 10 ppt	< 1
Trace Impurities - Germanium (Ge)	<= 10 ppt	< 5
Trace Impurities - Hafnium (Hf)	<= 10 ppt	< 5
Trace Impurities - Holmium (Ho)	<= 1 ppt	< 1
Trace Impurities - Indium (In)	<= 1 ppt	< 1
Trace Impurities - Iron (Fe)	<= 50 ppt	< 5

Test	Specification	Result
Trace Impurities – Lanthanum (La)	<= 1 ppt	< 1
Trace Impurities – Lead (Pb)	<= 10 ppt	< 1
Trace Impurities – Lithium (Li)	<= 10 ppt	< 1
Trace Impurities – Lutetium (Lu)	<= 10 ppt	<0.1
Trace Impurities – Magnesium (Mg)	<= 50 ppt	< 1
Trace Impurities – Manganese (Mn)	<= 10 ppt	< 1
Trace Impurities – Molybdenum (Mo)	<= 10 ppt	< 1
Trace Impurities – Neodymium (Nd)	<= 1 ppt	< 1
Trace Impurities – Nickel (Ni)	<= 50 ppt	< 5
Trace Impurities – Platinum (Pt)	<= 50 ppt	< 1
Trace Impurities – Potassium (K)	<= 50 ppt	< 5
Trace Impurities – Praseodymium (Pr)	<= 1 ppt	< 1
Trace Impurities – Rhenium (Re)	<= 10 ppt	< 1
Trace Impurities – Rhodium (Rh)	<= 50 ppt	< 1
Trace Impurities – Rubidium (Rb)	<= 10 ppt	< 1
Trace Impurities – Ruthenium (Ru)	<= 50 ppt	< 1
Trace Impurities – Samarium (Sm)	<= 1 ppt	< 1
Trace Impurities – Scandium (Sc)	<= 10 ppt	< 1
Trace Impurities – Selenium (Se), For Information Only	ppt	20
Trace Impurities – Silver (Ag)	<= 50 ppt	< 1
Trace Impurities – Sodium (Na)	<= 100 ppt	< 5
Trace Impurities – Strontium (Sr)	<= 10 ppt	< 1
Trace Impurities – Tellurium (Te)	<= 1 ppt	< 1
Trace Impurities – Terbium (Tb)	<= 1 ppt	< 1
Trace Impurities – Thallium (Tl)	<= 10 ppt	<0.1
Trace Impurities – Thorium (Th)	<= 1 ppt	< 1
Trace Impurities – Thulium (Tm)	<= 1 ppt	< 1
Trace Impurities – Tin (Sn)	<= 50 ppt	< 5
Trace Impurities – Titanium (Ti)	<= 10 ppt	< 1
Trace Impurities – Tungsten (W)	<= 10 ppt	< 1
Trace Impurities – Uranium (U)	<= 1 ppt	< 1
Trace Impurities – Vanadium (V)	<= 10 ppt	< 1
Trace Impurities – Ytterbium (Yb)	<= 1 ppt	< 1
Trace Impurities – Yttrium (Y)	<= 1 ppt	< 1
Trace Impurities – Zinc (Zn)	<= 50 ppt	< 5
Trace Impurities – Zirconium (Zr)	<= 10 ppt	< 1

For Laboratory, Research or Manufacturing Use
 Certificate Provided Reports Actual Lot Analysis

Material No.: 6903-05
Batch No.: 0000033091

Storage Conditions: IMPORTANT: Material will freeze if stored below 17 °C (63°F).
Country of Origin: CA

ISO

Phillipsburg, NJ 9001:2008, 14001:2004
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008, 17025:2005
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008, 17025:2005
Panoli, India 9001:2008



Richard M Siberski
Global Director of Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600
Avantor™ Performance Materials Inc.

3477 Corporate Parkway, Suite #200, Center Valley, PA 18034. U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610