

Dimethyl Sulfoxide
PHOTREX® Reagent
For Spectrophotometry



Material No.: 9194-33
Batch No.: 0000133107
Manufactured Date: 2016/02/12
Expiration Date: 2017/02/10

Certificate of Analysis

Test	Specification	Result
Appearance	Passes Test	PT
ACS – Assay ((CH ₃) ₂ SO) (by GC, corrected for water)	>= 99.9 %	100.0
ACS – Residue after Evaporation	<= 0.002 %	< 0.001
ACS – Titrable Acid (meq/g)	<= 0.001	< 0.001
ACS – Water (by KF, coulometric)	<= 0.1 %	< 0.1
Ultraviolet Absorbance (1.00-cm cell vs. water) (curve smooth throughout stated range with no extraneous impurity peaks) – 400–350	<= 0.01	< 0.01
Ultraviolet Absorbance (1.00-cm cell vs. water) (curve smooth throughout stated range with no extraneous impurity peaks) – 330 nm	<= 0.02	< 0.01
Ultraviolet Absorbance (1.00-cm cell vs. water) (curve smooth throughout stated range with no extraneous impurity peaks) – 310 nm	<= 0.06	0.01
Ultraviolet Absorbance (1.00-cm cell vs. water) (curve smooth throughout stated range with no extraneous impurity peaks) – 290 nm	<= 0.18	0.02
Ultraviolet Absorbance (1.00-cm cell vs. water) (curve smooth throughout stated range with no extraneous impurity peaks) – 270 nm	<= 0.40	0.21

For Laboratory, Research or Manufacturing Use

Product Information (not specifications):

Windows of Infrared Transmittance (0.1-mm path, 50–100% T), μm :

2.0 – 2.3; 2.4 – 3.2; 3.7 – 5.0; 5.1 – 6.7; 7.9 – 8.7; 11.4 – 13.8

Material No.: 9194-33
Batch No.: 0000133107

Country of Origin: FR



Phillipsburg, NJ 9001:2008, 14001:2004, FSSC 22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008, 17025:2005
Panoli, India 9001:2008


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600
Avantor [™] Performance Materials Inc.
3477 Corporate Parkway, Suite #200, Center Valley, PA 18034, U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610