

Material No.: 5356-05 Batch No.: 0000237668

Manufactured Date: 2019/08/01 Retest Date: 2024/07/30

Revision No: 1

Certificate of Analysis

Test	Specification	Result
ssay ((CH3)2CO) (by GC, corrected for water)	>= 99.5 %	99.7
Color (APHA)	<= 10	< 5
esidue after Evaporation	<= 5 ppm	< 1
cidity (µeq/g)	<= 0.3	0.2
lkalinity (µeq/g)	<= 0.5	< 0.1
/ater (H₂O)	<= 0.5 %	0.2
olubility in H ₂ O	Passes Test	PT
Chloride (CI)	<= 0.2 ppm	< 0.2
hosphate (PO4)	<= 0.05 ppm	< 0.05
race Impurities – Aluminum (Al)	<= 50.0 ppb	< 5.0
rsenic and Antimony (as As)	<= 5 ppb	< 5
race Impurities - Barium (Ba)	<= 20.0 ppb	< 1.0
race Impurities – Boron (B)	<= 20.0 ppb	< 5.0
race Impurities – Calcium (Ca)	<= 25.0 ppb	6.0
race Impurities - Chromium (Cr)	<= 20.0 ppb	< 1.0
race Impurities – Copper (Cu)	<= 10.0 ppb	< 1.0
race Impurities – Gold (Au)	<= 20.0 ppb	< 5.0
race Impurities - Iron (Fe)	<= 20.0 ppb	< 1.0
race Impurities - Lead (Pb)	<= 20.0 ppb	< 10.0
race Impurities - Lithium (Li)	<= 50.0 ppb	< 1.0
race Impurities – Magnesium (Mg)	<= 20.0 ppb	< 1.0
race Impurities – Manganese (Mn)	<= 10.0 ppb	< 1.0
race Impurities – Nickel (Ni)	<= 10.0 ppb	< 5.0
race Impurities – Potassium (K)	<= 50.0 ppb	< 10.0

Material No.: 5356-05 Batch No.: 0000237668

Specification	Result
<= 50.0 ppb	< 5.0
<= 50.0 ppb	< 10.0
<= 20.0 ppb	< 1.0
<= 50.0 ppb	1.0
<= 60 par/ml	2
<= 8 par/ml	1
•	<= 50.0 ppb <= 50.0 ppb <= 20.0 ppb <= 50.0 ppb <= 60 par/ml

For Microelectronic Use

Reported value is the average of all samples counted for this lot number, with no individual sample value exceeding the specification.

Country of Origin: US

Packaging Site: Paris Mfg Ctr & DC

