Methanol CMOS





Material No.: 9073-05 Batch No.: 0000239109 Manufactured Date: 2019/08/15 Retest Date: 2024/08/13 Revision No: 1

## Certificate of Analysis

Test	Specification	Result
ssay (CH₃OH) (by GC)	>= 99.9 %	100.0
Color (APHA)	<= 10	5
cidity (µeq/g)	<= 0.3	0.2
lkalinity (µeq/g)	<= 0.1	< 0.1
leavy Metals (as Pb)	<= 100 ppb	< 50
esidue after Evaporation	<= 5 ppm	< 1
/ater (H2O)(by Karl Fischer titrn)	<= 0.05 %	0.02
olubility in H2O	Passes Test	РТ
hloride (Cl)	<= 0.2 ppm	< 0.2
hosphate (PO4)	<= 0.3 ppm	< 0.3
ulfate (SO4)	<= 0.5 ppm	< 0.5
race Impurities – Aluminum (Al)	<= 50.0 ppb	< 5.0
race Impurities – Arsenic (As)	<= 5.0 ppb	< 2.0
race Impurities – Antimony (Sb)	<= 5.0 ppb	< 1.0
race Impurities – Barium (Ba)	<= 20.0 ppb	< 1.0
race Impurities – Boron (B)	<= 10.0 ppb	< 5.0
race Impurities – Cadmium (Cd)	<= 20.0 ppb	< 1.0
race Impurities – Calcium (Ca)	<= 50.0 ppb	4.4
race Impurities – Chromium (Cr)	<= 20.0 ppb	< 1.0
race Impurities - Cobalt (Co)	<= 20.0 ppb	< 1.0
race Impurities – Copper (Cu)	<= 10.0 ppb	< 1.0
race Impurities – Gallium (Ga)	<= 50.0 ppb	< 1.0
race Impurities – Germanium (Ge)	<= 50.0 ppb	< 10.0
race Impurities – Gold (Au)	<= 20.0 ppb	< 5.0

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700 Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Test	Specification	Result
Frace Impurities – Iron (Fe)	<= 50.0 ppb	3.5
Frace Impurities – Lead (Pb)	<= 50.0 ppb	< 10.0
Frace Impurities – Lithium (Li)	<= 50.0 ppb	< 1.0
Frace Impurities – Magnesium (Mg)	<= 50.0 ppb	1.6
Frace Impurities – Manganese (Mn)	<= 10.0 ppb	< 1.0
Frace Impurities – Molybdenum (Mo)	<= 300.0 ppb	< 5.0
Frace Impurities – Nickel (Ni)	<= 10.0 ppb	< 5.0
Frace Impurities – Potassium (K)	<= 50.0 ppb	< 10.0
Frace Impurities – Silicon (Si)	<= 50.0 ppb	< 10.0
Frace Impurities – Silver (Ag)	<= 20.0 ppb	< 1.0
Frace Impurities – Sodium (Na)	<= 50.0 ppb	11.7
Frace Impurities – Strontium (Sr)	<= 10.0 ppb	< 1.0
Frace Impurities – Tin (Sn)	<= 50.0 ppb	< 10.0
Frace Impurities – Titanium (Ti)	<= 20.0 ppb	< 1.0
Frace Impurities – Vanadium (V)	<= 300.0 ppb	< 1.0
Frace Impurities – Zinc (Zn)	<= 50.0 ppb	33.0
Frace Impurities – Zirconium (Zr)	<= 300.0 ppb	< 1.0
Particle Count - 0.5 µm and greater	<= 100 par/ml	6
Particle Count – 1.0 µm and greater	<= 8 par/ml	2

For Microelectronic Use

Country of Origin:	VE
Packaging Site:	Paris Mfg Ctr & DC

James Techie

Jamie Ethier Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700 Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700