

Ammonium Sulfate
Baker Analyzed



Material No: 0049.1000
Batch No: 2500906816
Manufactured Date: 2025/01/09
Expiration Date: 2027/01/09

Certificate of Analysis

Meets ACS Specifications.

Test	Specification	Result
Assay	$\geq 99.0 \%$	99.0
Insoluble Matter	$\leq 0.005 \%$	< 0.005
Nitrates (NO ₃)	$\leq 0.001 \%$	< 0.001
pH of 5% Solution at 25°C	5.0–6.0	5.4
Residue after Ignition	$\leq 0.005 \%$	0.001
Trace Impurities (in ppm)		
Chloride (Cl)	≤ 5	< 3
Heavy Metals (as Pb)	≤ 5	< 5
Iron (Fe)	≤ 5	< 5
Phosphate (PO ₄)	≤ 5	< 5

For Laboratory, Research or Manufacturing use.

Country of Origin: UNITED STATES
Packaging Site: Gliwice Mfg & DC

Barbara Rykowska
Quality Assurance Coordinator

For questions on this Certificate of Analysis, please contact Customer Service at avantor.emea@avantorinc.com
The information in this document is property of Avantor Performance Materials Poland S.A.
Avantor Performance Materials Poland S.A. Sowińskiego 11 Gliwice 44-101 Poland Tel: +48 322392000