

Isopropyl Alcohol  
AR® (ACS)  
For Histological Use



Material No.: 3032-06  
Batch No.: 0000279362  
Manufactured Date: 2021/03/08  
Retest Date: 2028/03/06  
Revision No: 1

## Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Appearance (clear, colorless liquid)	Passes Test	PT
Infrared Spectrum (Conforms to Standard)	Passes Test	PT
ACS – Assay ( $\text{CH}_3\text{CHOHCH}_3$ )	$\geq 99.5 \%$	100.0
ACS – Color (APHA)	$\leq 10$	$< 5$
ACS – Residue after Evaporation	$\leq 0.001 \%$	$< 0.001$
ACS – Solubility in $\text{H}_2\text{O}$	Passes Test	PT
ACS – Titrable Acid or Base (meq/g)	$\leq 0.0001$	0.0001
ACS – Water ( $\text{H}_2\text{O}$ )(by Karl Fischer titrn)	$\leq 0.2 \%$	$< 0.1$
Carbonyl Compounds – Propionaldehyde	$\leq 0.002 \%$	$< 0.001$
Carbonyl Compounds – Acetone	$\leq 0.002 \%$	0.001

For Laboratory, Research or Manufacturing Use

Date Received: / /

Date Opened: / /

Country of Origin: US

Packaging Site: Paris Mfg Ctr & DC

  
Jamie Ethier  
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700  
Avantor Performance Materials, LLC  
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700