

Material No: 6024.2500  
Batch No: 2504105835  
Manufactured Date: 2025/02/10  
Retest Date: 2030/02/10

## Certificate of Analysis

Meets ACS Specifications.

Test	Specification	Result
Assay	$\geq 85.0 \%$	85.4
Alkali phosphates	passes test	passes test
Chloride (Cl)	$\leq 1 \text{ ppm}$	$< 1$
Color (APHA)	$\leq 10$	$< 10$
Heavy Metals (as Pb)	$\leq 0.001 \%$	$< 0.001$
Insoluble Matter	$\leq 0.001 \%$	$< 0.001$
Nitrates (NO <sub>3</sub> )	$\leq 5 \text{ ppm}$	$< 5$
Phosphorous or Hypophosphorous Acid	passes test	passes test
Reducing Substances	passes test	passes test
Sulphate (SO <sub>4</sub> )	$\leq 0.003 \%$	$< 0.003$
Volatile Acids (as CH <sub>3</sub> COOH)	$\leq 0.001 \%$	$< 0.001$
Trace Impurities (in ppm)		
Aluminium (Al)	$\leq 10$	$< 0.500$
Antimony (Sb)	$\leq 4$	$< 0.500$
Arsenic (As)	$\leq 0.5$	$< 0.500$
Cadmium (Cd)	$\leq 5$	$< 0.500$
Calcium (Ca)	$\leq 20$	0.600
Copper (Cu)	$\leq 5$	$< 0.500$
Iron (Fe)	$\leq 10$	$< 0.500$
Lead (Pb)	$\leq 5$	$< 0.500$
Magnesium (Mg)	$\leq 10$	$< 0.500$
Manganese (Mn)	$\leq 0.5$	$< 0.500$
Nickel (Ni)	$\leq 5$	$< 0.500$
Potassium (K)	$\leq 5$	0.500

Material No: 6024.2500  
Batch No: 2504105835

Test	Specification	Result
Sodium (Na)	<= 10	1.500
Zinc (Zn)	<= 10	< 0.500

For Laboratory, Research or Manufacturing use.

Country of Origin: SWITZERLAND  
Packaging Site: Gliwice Mfg & DC



Barbara Rykowska  
Quality Assurance Coordinator

For questions on this Certificate of Analysis, please contact Customer Service at [avantor.emea@avantorinc.com](mailto:avantor.emea@avantorinc.com)  
The information in this document is property of Avantor Performance Materials Poland S.A.  
Avantor Performance Materials Poland S.A. Sowińskiego 11 Gliwice 44-101 Poland Tel: +48 322392000