

Certificate of Analysis

Test	Specification	Result
Assay (CH ₃ COOH)	>= 99.0 %	99.5
Trace Impurities – Aluminum (Al)	<= 50 ppt	< 2
Trace Impurities – Antimony (Sb)	<= 50 ppt	< 2
Trace Impurities – Arsenic (As)	<= 50 ppt	< 2
Trace Impurities – Barium (Ba)	<= 10 ppt	< 2
Trace Impurities – Beryllium (Be)	<= 10 ppt	< 2
Trace Impurities – Bismuth (Bi)	<= 10 ppt	< 2
Trace Impurities – Cadmium (Cd)	<= 10 ppt	< 1
Trace Impurities – Calcium (Ca)	<= 50 ppt	< 20
Trace Impurities – Cerium (Ce)	<= 10 ppt	< 1
Trace Impurities – Cesium (Cs)	<= 10 ppt	< 1
Trace Impurities – Chromium (Cr)	<= 10 ppt	< 2
Trace Impurities – Cobalt (Co)	<= 10 ppt	< 1
Trace Impurities – Copper (Cu)	<= 10 ppt	< 2
Trace Impurities – Dysprosium (Dy)	<= 1 ppt	< 1
Trace Impurities – Erbium (Er)	<= 1 ppt	< 1
Trace Impurities – Europium (Eu)	<= 1 ppt	< 1
Trace Impurities – Gadolinium (Gd)	<= 1 ppt	< 1
Trace Impurities – Gallium (Ga)	<= 10 ppt	< 1
Trace Impurities – Germanium (Ge)	<= 10 ppt	< 1
Trace Impurities – Hafnium (Hf)	<= 10 ppt	< 1
Trace Impurities – Holmium (Ho)	<= 1 ppt	< 1
Trace Impurities – Indium (In)	<= 1 ppt	< 1
Trace Impurities – Iron (Fe)	<= 50 ppt	< 50

Test	Specification	Result
Trace Impurities – Lanthanum (La)	<= 1 ppt	< 1
Trace Impurities – Lead (Pb)	<= 10 ppt	< 1
Trace Impurities – Lithium (Li)	<= 10 ppt	< 1
Trace Impurities – Lutetium (Lu)	<= 10 ppt	< 1
Trace Impurities – Magnesium (Mg)	<= 50 ppt	< 1
Trace Impurities – Manganese (Mn)	<= 10 ppt	< 1
Trace Impurities – Molybdenum (Mo)	<= 10 ppt	< 1
Trace Impurities – Neodymium (Nd)	<= 1 ppt	< 1
Trace Impurities – Nickel (Ni)	<= 50 ppt	< 20
Trace Impurities – Platinum (Pt)	<= 50 ppt	< 1
Trace Impurities – Potassium (K)	<= 50 ppt	< 2
Trace Impurities – Praseodymium (Pr)	<= 1 ppt	< 1
Trace Impurities – Rhenium (Re)	<= 10 ppt	< 1
Trace Impurities – Rhodium (Rh)	<= 50 ppt	< 1
Trace Impurities – Rubidium (Rb)	<= 10 ppt	< 1
Trace Impurities – Ruthenium (Ru)	<= 50 ppt	< 1
Trace Impurities – Samarium (Sm)	<= 1 ppt	< 1
Trace Impurities – Scandium (Sc)	<= 10 ppt	< 1
Trace Impurities – Selenium (Se), For Information Only	ppt	50
Trace Impurities – Silver (Ag)	<= 50 ppt	< 1
Trace Impurities – Sodium (Na)	<= 100 ppt	< 5
Trace Impurities – Strontium (Sr)	<= 10 ppt	< 1
Trace Impurities – Tellurium (Te)	<= 1 ppt	< 1
Trace Impurities – Terbium (Tb)	<= 1 ppt	< 1
Trace Impurities – Thallium (Tl)	<= 10 ppt	< 1
Trace Impurities – Thorium (Th)	<= 1 ppt	< 1
Trace Impurities – Thulium (Tm)	<= 1 ppt	< 1
Trace Impurities – Tin (Sn)	<= 50 ppt	< 1
Trace Impurities – Titanium (Ti)	<= 10 ppt	< 2
Trace Impurities – Tungsten (W)	<= 10 ppt	< 1
Trace Impurities – Uranium (U)	<= 1 ppt	< 1
Trace Impurities – Vanadium (V)	<= 10 ppt	< 1
Trace Impurities – Ytterbium (Yb)	<= 1 ppt	< 1
Trace Impurities – Yttrium (Y)	<= 1 ppt	< 1
Trace Impurities – Zinc (Zn)	<= 50 ppt	< 1
Trace Impurities – Zirconium (Zr)	<= 10 ppt	< 1

For Laboratory, Research or Manufacturing Use
Certificate Provided Reports Actual Lot Analysis

Material No.: 6903-05
Batch No.: 6220050

Storage Conditions: IMPORTANT: Material will freeze if stored below 17 °C (63°F).
Country of Origin: CA
Packaging Site: Paris Mfg Ctr & DC



Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700