

Material No: 9441.2500
Batch No: 2408905852
Manufactured Date: 2024/03/29
Expiration Date: 2026/03/29

Certificate of Analysis

Test	Specification	Result
Assay (by GC)	$\geq 99.8 \%$	99.9
Peroxide (as H ₂ O ₂)*	$\leq 0.010 \%$	< 0.010
Residue after Evaporation	≤ 5 ppm	< 5
Water (H ₂ O)	$\leq 0.02 \%$	< 0.01
Ultraviolet Absorbance (1.00-cm path vs water):		
at 230 nm	≤ 1.0	0.5
at 260 nm	≤ 0.15	0.10
at 270 nm	≤ 0.08	0.05
at 310 nm	≤ 0.02	0.01

For Laboratory, Research or Manufacturing use.
For use in High Performance Liquid Chromatography.
Filtered through a 0.2 micron filter. Packaged under Nitrogen.

Country of Origin: GERMANY
Packaging Site: Gliwice Mfg & DC



Barbara Rykowska
Quality Assurance Coordinator

For questions on this Certificate of Analysis, please contact Customer Service at avantor.emea@avantorinc.com
The information in this document is property of Avantor Performance Materials Poland S.A.
Avantor Performance Materials Poland S.A. Sowińskiego 11 Gliwice 44-101 Poland Tel: +48 322392000