

Material No.: 0599-08
Batch No.: 24E2061004
Manufactured Date: 2023-08-30
Retest Date: 2030-08-28
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (CH ₃ COONH ₄) (by acid-base titration)	≥ 97 %	101 %
ACS – Insoluble Matter	≤ 0.005 %	< 0.001 %
Residue after Ignition	≤ 0.010 %	0.006 %
pH of 5% Solution at 25°C	6.7 – 7.3	6.9
Nitrate (NO ₃)	≤ 0.001 %	< 0.001 %
Sulfate (SO ₄)	≤ 0.001 %	< 0.001 %
UV Absorbance (1 M Aqueous Solution) (1.00-cm cell vs. water) – 350 nm	≤ 0.010	< 0.002
UV Absorbance (1 M Aqueous Solution) (1.00-cm cell vs. water) – 280 nm	≤ 0.010	0.002
UV Absorbance (1 M Aqueous Solution) (1.00-cm cell vs. water) – 254 nm	≤ 0.020	0.004
Chloride (Cl)	≤ 5 ppm	< 5 ppm
Trace Impurities – ACS – Heavy Metals (as Pb)	≤ 5 ppm	< 5 ppm
Trace Impurities – Iron (Fe)	≤ 5 ppm	< 5 ppm

For Laboratory, Research, or Manufacturing Use

Country of Origin: Mexico
Packaging Site: Paris Mfg Ctr & DC



Michelle Bales
Sr. Manager, Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone 610.386.1700

Page 1 of 1