

1-Pentanesulfonic Acid, Sodium Salt
HPLC
For Ion-Pair Chromatography of Basic Compounds



Material No.: 2841-06
Batch No.: 25A0661037
Manufactured Date: 2023-03-01
Retest Date: 2030-02-27
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (as C ₅ H ₁₁ SO ₃ Na) (by acidimetry)	>= 98.0 %	98.1 %
UV Absorbance of 0.25 M Solution – 250 nm	<= 0.050	0.009
UV Absorbance of 0.25 M Solution – 240 nm	<= 0.050	0.011
UV Absorbance of 0.25 M Solution – 230 nm	<= 0.050	0.015
UV Absorbance of 0.25 M Solution – 220 nm	<= 0.060	0.021
UV Absorbance of 0.25 M Solution – 210 nm	<= 0.080	0.032
UV Absorbance of 0.25 M Solution – 200 nm	<= 0.200	0.074

For Laboratory, Research, or Manufacturing Use

Country of Origin: United Kingdom

Packaging Site: Paris Mfg Ctr & DC


Michelle Bales
Sr. Manager, Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA, 19087, U.S.A. Phone 610.386.1700