

2-Propanol
HPLC
For use in Liquid Chromatography (HPLC & UHPLC) &
Spectrophotometry



Material No.: 9095-33
Batch No.: 24C2861017
Manufactured Date: 2024-03-21
Retest Date: 2029-03-20
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Ultraviolet Absorbance (1.00-cm cell vs. water) - 350 nm	≤ 0.01	< 0.01
Ultraviolet Absorbance (1.00-cm cell vs. water) - 280 nm	≤ 0.01	< 0.01
Ultraviolet Absorbance (1.00-cm cell vs. water) - 254 nm	≤ 0.020	0.008
Ultraviolet Absorbance (1.00-cm cell vs. water) - 225 nm	≤ 0.16	0.10
Ultraviolet Absorbance (1.00-cm cell vs. water) - UV Cut-off, nm	≤ 205	205
Assay (CH ₃ CHOHCH ₃)	≥ 99.7 %	100.0 %
Residue after Evaporation	≤ 2.0 ppm	< 1.0 ppm
Water (by KF, coulometric)	≤ 0.03 %	0.01 %

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA
Packaging Site: Paris Mfg Ctr & DC

Michelle Bales
Sr. Manager, Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone 610.386.1700