

Tetrahydrofuran
BAKER HPLC ANALYZED
Contains No Preservative



Material No.: 9441-33
Batch No.: 22H2461057
Manufactured Date: 2022-09-28
Expiration Date: 2023-09-28
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Ultraviolet Absorbance (1.00-cm cell vs. water) - 400-320 nm	≤ 0.01	< 0.01
Ultraviolet Absorbance (1.00-cm cell vs. water) - 280 nm	≤ 0.03	0.01
Ultraviolet Absorbance (1.00-cm cell vs. water) - 254 nm	≤ 0.15	0.07
Ultraviolet Absorbance (1.00-cm cell vs. water) - 230 nm	≤ 0.45	0.17
Ultraviolet Absorbance (1.00-cm cell vs. water) - UV Cut-off, nm	≤ 212	< 212
Assay (by GC, corrected for water)	≥ 99.8 %	100.0 %
Peroxide (as H ₂ O ₂) (atTime of Fill)	≤ 0.005 %	< 0.001 %
Residue after Evaporation	≤ 2.0 ppm	< 0.2 ppm
Water (by KF, coulometric)	≤ 0.02 %	< 0.01 %

For Laboratory, Research, or Manufacturing Use

Country of Origin: Taiwan
Packaging Site: Paris Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality