

Material No.: 5958-04
Batch No.: 24G0261020
Manufactured Date: 2021-07-12
Retest Date: 2028-07-10
Revision No.: 0

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
ACS – Assay ($\text{MgCl}_2 \cdot 6\text{H}_2\text{O}$)	99.0 – 102.0 %	99.1 %
ACS – Ammonium (NH_4)	≤ 0.001 %	< 0.001 %
ACS – Barium (Ba)	≤ 0.005 %	0.002 %
ACS – Calcium (Ca)	≤ 0.01 %	< 0.01 %
ACS – Heavy Metals (as Pb)	≤ 5 ppm	1 ppm
ACS – Insoluble Matter	≤ 0.005 %	0.001 %
ACS – Iron (Fe)	≤ 5 ppm	2 ppm
ACS – Manganese (Mn)	≤ 5.000 ppm	0.100 ppm
ACS – Nitrate (NO_3)	≤ 0.001 %	< 0.001 %
ACS – pH of 5% Solution	4.5 – 7.0	5.9
ACS – Phosphate (PO_4)	≤ 5 ppm	1 ppm
ACS – Potassium (K)	≤ 0.005 %	< 0.001 %
ACS – Sodium (Na)	≤ 0.005 %	< 0.001 %
ACS – Strontium (Sr)	≤ 0.005 %	< 0.001 %
ACS – Sulfate (SO_4)	≤ 0.002 %	< 0.001 %

For Laboratory, Research, or Manufacturing Use

The net weight of the product in each container is within $\pm 2\%$ of the net weight stated on the label.

Country of Origin: Mexico

Packaging Site: Paris Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA 19087, U.S.A. Phone 610.386.1700

Page 1 of 1