

Revision date: 07-02-2014

## SAFETY DATA SHEET

## 1. Identification

Product identifier: Barium sulfate

Other means of identification

Product No.: 4518, 8821, 1041, 1040, 1030

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Environmental Health & Safety e-mail: info@avantormaterials.com

**Emergency telephone number:** 

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

## 2. Hazard(s) identification

Hazard classification

Not classified

Label elements

Hazard symbol: No symbol

Signal word: No signal word.

Hazard statement: Not applicable

Precautionary statement Not applicable

Other hazards which do not

result in GHS classification:

None.

## 3. Composition/information on ingredients

#### **Substances**

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
BARIUM SULFATE		7727-43-7	97 - 100%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.



Revision date: 07-02-2014

## 4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Rinse mouth thoroughly. Call a POISON CENTER or doctor/physician if

you feel unwell.

**Inhalation:** Move to fresh air. Get medical attention if symptoms persist.

**Skin contact:** Wash skin thoroughly with soap and water. Get medical attention if irritation

persists after washing. Wash contaminated clothing before reuse.

**Eye contact:** Flush thoroughly with water. If irritation occurs, get medical assistance.

Most important symptoms/effects, acute and delayed

**Symptoms:** May cause irritation to skin, eyes, and respiratory tract.

Indication of immediate medical attention and special treatment needed

**Treat symptomatically.** Symptoms may be delayed.

## 5. Fire-fighting measures

**General fire hazards:** In case of fire and/or explosion do not breathe fumes.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

None known.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep unauthorized personnel away. Use personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment. Keep unauthorized personnel away. Use personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment.

Methods and material for containment and cleaning up:

Sweep up and place in a clearly labeled container for chemical waste. Clean surface thoroughly to remove residual contamination. Sweep up and place in a clearly labeled container for chemical waste. Clean surface thoroughly to remove residual contamination.



Revision date: 07-02-2014

**Notification Procedures:** Prevent entry into waterways, sewer, basements or confined areas. Inform

authorities if large amounts are involved. Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are

involved.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto

the ground.

### 7. Handling and storage

**Precautions for safe handling:** Use personal protective equipment as required. Avoid contact with eyes,

skin, and clothing. Avoid inhalation of dust. Wash thoroughly after handling.

Conditions for safe storage,

including any incompatibilities:

Keep containers tightly closed. Store in cool, dry place. Store in a well-

ventilated place.

## 8. Exposure controls/personal protection

#### **Control parameters**

Occupational exposure limits

Chemical identity	Туре	Exposure Limit values	Source
BARIUM SULFATE	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (2011)
BARIUM SULFATE - Total	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
BARIUM SULFATE - Respirable.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
BARIUM SULFATE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
BARIUM SULFATE - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
BARIUM SULFATE - Total dust.	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

# Appropriate engineering controls

No data available.

## Individual protection measures, such as personal protective equipment

**General information:** Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an

acceptable level.

**Eye/face protection:** Use tight fitting goggles if dust is generated.

Skin protection

**Hand protection:** Wear protective gloves.

**Other:** Wear suitable protective clothing.

**Respiratory protection:** In case of inadequate ventilation use suitable respirator.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Provide eyewash station and safety shower.



Revision date: 07-02-2014

## 9. Physical and chemical properties

**Appearance** 

Physical state: Solid
Form: Powder.
Color: White
Odor: Odorless

Odor threshold: No data available. PH: No data available.

Melting point/freezing point:1,580 °CInitial boiling point and boiling range:1,600 °CFlash Point:Not applicableEvaporation rate:No data available.Flammability (solid, gas):No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

Vapor pressure:

Vapor density:

No data available.

No data available.

No data available.

No data available.

Relative density: 4.5 (15 °C)

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
Auto-ignition temperature:
No data available.
Decomposition temperature:
No data available.
Viscosity:
No data available.

Other information

Molecular weight: 233.39 g/mol (Ba.H2O4S)

## 10. Stability and reactivity

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

**Conditions to avoid:** Contact with incompatible materials. Avoid conditions which create dust.

**Incompatible materials:** Aluminum. Phosphorus.

**Hazardous decomposition** 

products:

Thermal decomposition may produce oxides of sulfur.

## 11. Toxicological information

## Information on likely routes of exposure

**Ingestion:** May cause irritation of the gastrointestinal tract.



Revision date: 07-02-2014

**Inhalation:** May cause irritation to the respiratory system.

**Skin contact:** May cause irritation.

**Eye contact:** May cause temporary eye irritation.

#### Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** No data available.

**Dermal** 

**Product:** 

No data available.

Inhalation

**Product:** No data available.

Repeated dose toxicity

**Product:** No data available.

Skin corrosion/irritation

**Product:** May cause skin irritation.

Serious eye damage/eye irritation

**Product:** May irritate eyes.

Respiratory or skin sensitization

**Product:** Not a skin sensitizer.

Carcinogenicity

**Product:** This substance has no evidence of carcinogenic properties.

## IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

#### **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

## Germ cell mutagenicity

In vitro

**Product:** No mutagenic components identified

In vivo

**Product:** No mutagenic components identified

Reproductive toxicity

**Product:** No components toxic to reproduction

Specific target organ toxicity - single exposure

**Product:** No data available.

Specific target organ toxicity - repeated exposure

**Product:** No data available.

**Aspiration hazard** 

**Product:** Not classified



Revision date: 07-02-2014

Other effects: None known.

#### 12. Ecological information

#### **Ecotoxicity:**

Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic invertebrates** 

**Product:** No data available.

Specified substance(s):

BARIUM SULFATE EC 50 (Water flea (Daphnia magna), 48 h): 32 mg/l Intoxication

EC 50 (Tubificid worm (Tubifex tubifex), 96 h): 28.61 - 38.03 mg/l

Intoxication

Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Persistence and degradability

**Biodegradation** 

**Product:** There are no data on the degradability of this product.

**BOD/COD** ratio

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration factor (BCF)** 

**Product:** No data available on bioaccumulation.

Partition coefficient n-octanol / water (log Kow)
Product:
No data available.

**Mobility in soil:** The product is insoluble in water and will sediment in water systems.

Other adverse effects: The product components are not classified as environmentally hazardous.

However, this does not exclude the possibility that large or frequent spills

can have a harmful or damaging effect on the environment.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

**Contaminated packaging:** Since emptied containers retain product residue, follow label warnings even

after container is emptied.



Revision date: 07-02-2014

14. Transport information			
DOT Not regulated.			
IMDG Not regulated.			
IATA			
Not regulated.			
15. Regulatory information			
US federal regulations			
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.			
CERCLA Hazardous Substance List (40 CFR 302.4):  BARIUM SULFATE Reportable quantity: 1000 lbs.			
Superfund amendments and reauthorization act of 1986 (SARA)			
Hazard categories			
X Acute (Immediate) Chronic (Delayed) Fire Reactive Pressure Generating			
SARA 302 Extremely hazardous substance  None present or none present in regulated quantities.			
SARA 304 Emergency release notification Chemical identity RQ			
BARIUM SULFATE 1000 lbs.			
SARA 311/312 Hazardous chemical Chemical identity Threshold Planning Quantity			
Chemical identityThreshold Planning QuantityBARIUM SULFATE500 lbs			
SARA 313 (TRI reporting)  None present or none present in regulated quantities.			
Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)  None present or none present in regulated quantities.			
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):  None present or none present in regulated quantities.			
US state regulations			
US. California Proposition 65  No ingredient regulated by CA Prop 65 present.			
US. New Jersey Worker and Community Right-to-Know Act BARIUM SULFATE Listed			
US. Massachusetts RTK - Substance List			

BARIUM SULFATE

Listed



Revision date: 07-02-2014

## US. Pennsylvania RTK - Hazardous Substances

**BARIUM SULFATE** Listed

US. Rhode Island RTK

**BARIUM SULFATE** Listed

## **Inventory Status:**

Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory On or in compliance with the inventory EINECS, ELINCS or NLP: Japan (ENCS) List: On or in compliance with the inventory China Inv. Existing Chemical Substances: Not in compliance with the inventory. Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Canada NDSL Inventory: Not in compliance with the inventory. Philippines PICCS: On or in compliance with the inventory US TSCA Inventory: On or in compliance with the inventory On or in compliance with the inventory

New Zealand Inventory of Chemicals:

Japan ISHL Listing:


Japan Pharmacopoeia Listing:

On or in compliance with the inventory

Not in compliance with the inventory.

## 16.Other information, including date of preparation or last revision

#### **NFPA Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue date: 07-02-2014

**Revision date:** No data available.

Version #: 1.0

**Further information:** No data available.



Disclaimer:

Version: 1.0

Revision date: 07-02-2014

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE. OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.