

Version: 3.10 Revision Date: 10-13-2020

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Acetone

Other means of identification

Synonyms:	2-Propanone
Product No.:	2432, 2435, 2437, 2440, 2443, 2462, 2570, 2572, 5008, 5018,
	5276, 5356, 5580, 5965, 5975, 9002, 9003, 9005, 9006, 9008,
	9009, 9010, 9015, 9036, 9254, 9271, 9422, A134, H451, H580,
	10444, 10654, 12264, 63842, 70444

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use. Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Company Name: Address:	Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200 Radnor, PA 19087
Telephone:	Customer Service: 855-282-6867
Contact Person: E-mail:	Product Information Compliance info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada (24 hrs/day, 7 days/week)

2. Hazard(s) identification

Hazard Classification

Physical Hazards Flammable liquids	Category 2
Health Hazards	
Serious Eye Damage/Eye Irritation	Category 2A
Specific Target Organ Toxicity - Single Exposure	Category 3 ^{1.}
Aspiration Hazard	Category 2

Target Organs

Narcotic effect. 1.

Label Elements

Hazard Symbol:



Signal Word:	Danger
Hazard Statement:	Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. May be harmful if swallowed and enters airways.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof [electrical/ventilating/lighting] equipment. Ground and bond container and receiving equipment. Use non-sparking tools. Take action to prevent static discharges. Wash thoroughly after handling. Avoid breathing dust/mist/vapors/spray. Use only outdoors or in a well-ventilated area.
Response:	In case of fire: Use water spray, foam, dry powder or carbon dioxide for extinction. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.
Storage:	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

3. Composition/information on ingredients

Substances

Chemical Identity	CAS number	Content in percent (%)*	
Acetone	67-64-1	99.00 - 100.00%	
* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.			

4. First-aid measures

```
General information:
```

Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

✓ avantor [™]	Version: 3.10 Revision Date: 10-13-2020
Ingestion:	Call a physician or poison control center immediately. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air. Get medical attention if symptoms persist.
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if irritation persists after washing.
Most important symptoms/effect	s, acute and delayed
Symptoms:	Narcotic effect.
Hazards:	None known.
Indication of immediate medical	attention and special treatment needed
Treatment:	Symptoms may be delayed. Treat symptomatically.
5. Fire-fighting measures	
General Fire Hazards:	Flammable liquid and vapor.
Suitable (and unsuitable) extingu	lishing media
Suitable extinguishing media:	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media:	Avoid water in straight hose stream; will scatter and spread fire.
Specific hazards arising from the chemical:	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Heat may cause the containers to explode.
Special protective equipment an	d precautions for firefighters
Special fire fighting procedures:	Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
6. Accidental release measures	S

Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.
Methods and material for containment and cleaning up:	In case of leakage, eliminate all ignition sources. Take precautionary measures against static discharges. Stop leak if possible without any risk. Use non-sparking tools. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures:	Inform authorities if large amounts are involved.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7 Handling and storage	

7. Handling and storage

Precautions for safe handling:	DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground and bond container and receiving equipment. Use personal protective equipment as required. Do not get in eyes, on skin, on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.
Conditions for safe storage, including any incompatibilities:	Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a cool, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limi	it Values	Source
Acetone	TWA STEL	250 ppm 500 ppm		US. ACGIH Threshold Limit Values (03 2015) US. ACGIH Threshold Limit Values (03 2015)
	REL	250 ppm	590 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	750 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	750 ppm	1,800 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	Ceiling	3,000 ppm		US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
	STEL	750 ppm	1,780 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
	TWA PEL	500 ppm	1,200 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
	STEL	1,000 ppm	2,400 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (01 2019)



S	T ESL Hea	lth 3,300 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
IA	N ESL Hea	lth 4,800 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
S	T ESL Hea	lth 7,800 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)
IA	N ESL Hea	lth 2,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (06 2018)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Acetone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEI (03 2015)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.
Eye/face protection:	Wear safety glasses with side shields (or goggles) and a face shield.
Skin Protection Hand Protection:	Chemical resistant gloves
Other:	Wear suitable protective clothing and gloves.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Chemical respirator with organic vapor cartridge.
Hygiene measures:	Provide eyewash station and safety shower. Observe good industrial hygiene practices. Do not eat, drink or smoke when using the product. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Do not get this material in contact with skin. Avoid contact with eyes. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

9. Physical and chemical properties

Appearance	
Physical state:	Liquid
Form:	Liquid
Color:	Colorless
Odor:	Sweet, mint-like
Odor threshold:	No data available.
pH:	5 - 6 (20 °C)
Melting point/freezing point:	-94.8 - 94.6 °C
Initial boiling point and boiling range:	56 °C (101.3 kPa)
Flash Point: SDS_US - SDS000001650	-2017 °C (Closed Cup)

🚺 avantor

Evaporation rate:	No data available.
Flammability (solid, gas):	Class IB Flammable Liquid
Upper/lower limit on flammability or explosiv	
Flammability limit - upper (%):	12.8 %(V)
Flammability limit - lower (%):	2.13 - 2.6 %(V)
Explosive limit - upper (%):	No data available.
,	
Explosive limit - lower (%):	
Vapor pressure:	233 - 240 hPa (20 °C) 309 hPa (25 °C) 530 - 560 hPa (40 °C)
Vapor density:	2
Density:	0.79 g/ml (20 °C)
Relative density:	0.80 (20 °C)
Solubility(ies)	
Solubility in water:	Miscible
Solubility (other):	Alcohol: Miscible benzene: Soluble chloroform: Miscible dimethylformamide: Miscible ether: Miscible
Partition coefficient (n-octanol/water):	-0.24
Auto-ignition temperature:	465 °C
Decomposition temperature:	No data available.
Viscosity:	No data available.
Other information	
Liquid conductivity:	0.6 μS/cm (25 °C)
Minimum ignition energy:	1.15 mJ
Molecular weight:	58.08 g/mol ((CH ₃) ₂ CO)

10. Stability and reactivity


Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerization does not occur.
Conditions to avoid:	Heat, sparks, flames. Contact with incompatible materials.
Incompatible Materials:	Strong acids. Strong oxidizing agents.
Hazardous Decomposition Products:	Thermal decomposition may release oxides of carbon.

11. Toxicological information

Information on likely routes of exposure Inhalation: May cause irritation to the respiratory system.	
Skin Contact:	Prolonged skin contact may cause temporary irritation.
Eye contact:	Causes serious eye irritation.
Ingestion:	May cause irritation of the gastrointestinal tract.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)		
Oral		
Product:	LD 50 (Rat): 5,800 mg/kg	
Dermal Product:	LD 50 (Rabbit) 20,000 mg/kg	
Inhalation Product:	LC 50 (Rat, 4 h) 50.1 - 76 mg/l	
Repeated dose toxicity Product:	No data available.	
Skin Corrosion/Irritation Product:	Prolonged skin contact may cause temporary irritation.	
Serious Eye Damage/Eye Irritati Product:	on Causes serious eye irritation.	
Respiratory or Skin Sensitizatio Product:	n Not a skin nor a respiratory sensitizer.	
Carcinogenicity Product:	This substance has no evidence of carcinogenic properties.	
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified		
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified		
Germ Cell Mutagenicity		
In vitro Product:	No mutagenic components identified	
In vivo Product:	No mutagenic components identified	
Reproductive toxicity Product:	No components toxic to reproduction	
Specific Target Organ Toxicity - Single Exposure Product: Narcotic effect.		
Specific Target Organ Toxicity - Repeated Exposure Product: None known.		
Target Organs Specific Target Organ Toxic	tity - Single Exposure: Narcotic effect.	
Aspiration Hazard		



Partition Coefficient n-octanol / water (log Kow) **Product:** Log Kow: -0.24

Mobility in soil: No data available.

Other adverse effects: The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

13. Disposal considerations		
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.	
Contaminated Packaging:	Since emptied containers retain product residue, follow label warnings even after container is emptied.	
SDS_US - SDS000001650	. 8/12	

14. Transport information

DOT	
UN Number:	UN 1090
UN Proper Shipping Name:	Acetone
Transport Hazard Class(es)	2
Class: Label(s):	3 3
Packing Group:	3
Marine Pollutant:	No
Special precautions for user:	Not determined.
IMDG	
UN Number:	UN 1090
UN Proper Shipping Name:	ACETONE
Transport Hazard Class(es) Class:	2
Label(s):	3 3
EmS No.:	F-E, S-D
Packing Group:	. <u>_</u> , e e
Marine Pollutant:	No
Special precautions for user:	Not determined.
ΙΑΤΑ	
UN Number:	UN 1090
Proper Shipping Name:	Acetone
Transport Hazard Class(es):	
Class:	3 3
Label(s):	-
Packing Group:	II
Marine Pollutant:	No
Special precautions for user:	Not determined.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Acetone	5000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Aspiration Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.



S	ARA 304 Emergency Release Notification None present or none present in regulated quantities.
<u>(</u>	ARA 311/312 Hazardous ChemicalChemical IdentityThreshold Planning QuantityAcetone10000 lbs.
S	ARA 313 (TRI Reporting) None present or none present in regulated quantities.
Clean Air	Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): None present or none present in regulated quantities.
Clean Wa	ter Act Section 311 Hazardous Substances (40 CFR 117.3): None present or none present in regulated quantities.
US State	Regulations
U	S. California Proposition 65 No ingredient requiring a warning under CA Prop 65.
<u>(</u>	S. New Jersey Worker and Community Right-to-Know Act <u>Chemical Identity</u> Acetone
<u>(</u>	S. Massachusetts RTK - Substance List Chemical Identity Acetone
<u>(</u>	S. Pennsylvania RTK - Hazardous Substances <u>Chemical Identity</u> Acetone
<u>(</u>	S. Rhode Island RTK Chemical Identity Acetone
Internatio	onal regulations
	r eal protocol t applicable
	t applicable
	rdam convention t applicable
	o protocol t applicable




Inventory Status:

Australia AICS: Canada DSL Inventory List: China Inv. Existing Chemical Substances: Japan (ENCS) List: Japan ISHL Listing: Korea Existing Chemicals Inv. (KECI): Mexico INSQ: New Zealand Inventory of Chemicals: Philippines PICCS: Taiwan Chemical Substance Inventory: US TSCA Inventory: EINECS, ELINCS or NLP: On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date:	10-13-2020
Revision Information:	Not relevant.
Version #:	3.10
Source of information:	Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate.
Further Information:	No data available.

✓ avantor [™]	Version: 3.10 Revision Date: 10-13-2020
Disclaimer:	The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL , PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.